

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3253	(324/760,764,765).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/09 14:46
L2	1325	(713/322,320).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/09 14:46
L3	0	1 and 2	US-PGPUB; USPAT	OR	OFF	2005/03/09 14:47
L4	2380	(713/300-320).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/09 14:46
L5	3	1 and 4	US-PGPUB; USPAT	OR	OFF	2005/03/09 14:47
S1	1	("20040061512").PN.	US-PGPUB; USPAT	OR	OFF	2005/03/08 13:01
S2	8708	(324/537,750-769).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/09 12:07
S3	38	S2 and ((burn\$3 near2 temperature)with (voltage or current))	US-PGPUB; USPAT	OR	ON	2005/03/01 18:17
S4	0	(burn\$in with control)same (ceramic adj capacitor)	US-PGPUB; USPAT	OR	ON	2005/02/22 15:54
S5	2	(burn\$in with control)and (ceramic adj capacitor)	US-PGPUB; USPAT	OR	ON	2005/02/22 15:54
S6	57	(burn\$in)and (ceramic adj capacitor)	US-PGPUB; USPAT	OR	ON	2005/03/01 18:17
S7	8800	(324/537,750-769).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/22 16:15
S8	567	S7 and (burn\$in with temperature)	US-PGPUB; USPAT	OR	OFF	2005/02/22 16:15
S9	667	S7 and (burn\$in with temperature)	US-PGPUB; USPAT	OR	ON	2005/02/22 16:16
S10	1	S9 and ((compar\$4 with voltage)same ((period or time) with correct\$4))	US-PGPUB; USPAT	OR	ON	2005/02/22 16:16
S11	8	S9 and ((compar\$4 with voltage)and ((period or time) with correct\$4))	US-PGPUB; USPAT	OR	ON	2005/02/22 16:16
S12	8818	(324/537,750-769).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/01 18:16
S13	9393	(324/537,750-769,522,523).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/01 18:48
S14	39	S13 and ((burn\$3 near2 temperature)with (voltage or current))	US-PGPUB; USPAT	OR	ON	2005/03/01 18:17
S15	3644	S14 (ceramic adj capacitor)	US-PGPUB; USPAT	OR	ON	2005/03/01 18:17

S16	2	S14 and (ceramic adj capacitor)	US-PGPUB; USPAT	OR	ON	2005/03/01 18:39
S17	52068	(burn\$3 with (voltage or temperature))	US-PGPUB; USPAT	OR	ON	2005/03/01 18:20
S18	52068	(burn\$3 with (voltage temperature))	US-PGPUB; USPAT	OR	ON	2005/03/01 18:21
S19	1824	(burn\$3 with (voltage and temperature))	US-PGPUB; USPAT	OR	ON	2005/03/01 18:21
S20	2	(burn\$3 with voltage) same (burn\$3 with temperature) same (burn\$3 with time) same (predetermin\$4 with load)	US-PGPUB; USPAT	OR	ON	2005/03/01 18:23
S21	17	S13 and (compar\$4 with voltage with burn\$3)	US-PGPUB; USPAT	OR	ON	2005/03/01 18:40
S22	4	S21 and (flow\$4 with (voltage current power) with (heat\$4 or temperature))	US-PGPUB; USPAT	OR	ON	2005/03/01 18:41
S23	8818	(324/537,750-769).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/01 18:48
S24	233	S23 and (burn\$3 with temperature) and (burn\$3 with voltage)	US-PGPUB; USPAT	OR	ON	2005/03/01 18:49
S25	158	S23 and (burn\$3 with temperature) and (burn\$3 with voltage) and (burn\$3 with time)	US-PGPUB; USPAT	OR	ON	2005/03/01 19:08
S26	47	S25 and ((compar\$4 with voltage with burn\$3) or (correct\$3 or control\$5) with time))	US-PGPUB; USPAT	OR	ON	2005/03/01 18:52
S27	11	S26 and (correct\$4 or compensat\$4) with time	US-PGPUB; USPAT	OR	ON	2005/03/01 18:53
S28	69	S23 and (increas\$4 with burn\$3 with temperature)	US-PGPUB; USPAT	OR	ON	2005/03/01 19:09
S29	31	S23 and (increas\$4 with (burn\$3 near3 temperature))	US-PGPUB; USPAT	OR	ON	2005/03/01 19:09
S30	11	S23 and (heat\$4 with increas\$4 with (burn\$3 near3 temperature))	US-PGPUB; USPAT	OR	ON	2005/03/01 19:09
S31	1	"20040061512"	US-PGPUB; USPAT	OR	OFF	2005/03/08 13:01
S32	7274	(324/522-532,537,760-769).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/08 13:25
S33	221	S32 and (burn\$in with voltage)	US-PGPUB; USPAT	OR	OFF	2005/03/08 13:25
S34	250	S32 and (burn\$in with voltage)	US-PGPUB; USPAT	OR	ON	2005/03/08 13:25
S35	93	S34 and (heat\$3 with temperature)	US-PGPUB; USPAT	OR	ON	2005/03/08 13:26

S36	9	S35 and (time with (correct\$4 or compensat\$4))	US-PGPUB; USPAT	OR	ON	2005/03/08 13:28
S37	0	S36 and ((time with (correct\$4 or compensat\$4))same(compar\$4 with voltage with burn\$in))	US-PGPUB; USPAT	OR	ON	2005/03/08 13:29
S38	7277	S32 ((time with (correct\$4 or compensat\$4))same(compar\$4 with voltage with burn\$in))	US-PGPUB; USPAT	OR	ON	2005/03/08 13:29
S39	0	S32 and((time with (correct\$4 or compensat\$4))same(compar\$4 with voltage with burn\$in))	US-PGPUB; USPAT	OR	ON	2005/03/08 13:29
S40	3	((time with (correct\$4 or compensat\$4))same(compar\$4 with voltage with burn\$in))	US-PGPUB; USPAT	OR	ON	2005/03/08 13:29
S41	8844	(324/537,750-769).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/09 12:07
S42	546	S41 and (burn\$in adj test)	US-PGPUB; USPAT	OR	OFF	2005/03/09 13:07
S43	596	S41 and (burn\$in adj test)	US-PGPUB; USPAT	OR	ON	2005/03/09 12:07
S44	7	S43 and (appl\$4 with (constant adj (power current)))	US-PGPUB; USPAT	OR	ON	2005/03/09 12:10
S45	74	(appl\$4 with (constant adj (power and current)))	US-PGPUB; USPAT	OR	ON	2005/03/09 12:28
S46	29	(appl\$4 with (constant adj power)with (constant adj current))	US-PGPUB; USPAT	OR	ON	2005/03/09 12:48
S47	3	(("6574763") or ("5473259") or ("3745460")).PN.	US-PGPUB; USPAT	OR	OFF	2005/03/09 12:50
S48	0	S47 and (constant adj (power voltage current))	US-PGPUB; USPAT	OR	OFF	2005/03/09 12:51
S49	0	S47 and (constant adj (power voltage current))	US-PGPUB; USPAT	OR	ON	2005/03/09 13:07
S50	2	S47 and (constant)	US-PGPUB; USPAT	OR	ON	2005/03/09 12:51
S51	622	S41 and (constant adj (power voltage current))	US-PGPUB; USPAT	OR	ON	2005/03/09 13:07
S52	25	S51 and (burn\$in adj test)	US-PGPUB; USPAT	OR	OFF	2005/03/09 13:22
S53	4330	(324/760,763,765,713,605,603, 523).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/03/09 13:22
S54	770	S53 and (burn\$in)	US-PGPUB; USPAT	OR	OFF	2005/03/09 13:22
S55	770	S53 and (burn\$in)	US-PGPUB; USPAT	OR	ON	2005/03/09 13:22
S56	28	S55 and ((constant adj (power current)))	US-PGPUB; USPAT	OR	ON	2005/03/09 14:46